

## SONOCA-300



## Ultrasonic dissector

with integrated aspiration and irrigation pump





#### Söring – innovative surgery

Söring, one of the pioneers in ultrasound technology, has been offering innovative solutions for ultrasonic and HF surgery on the international market for more than two decades. Söring not only is the market leader in ultrasound technology but also offers one-of-the-kind solutions for non-contact coagulation. Söring's success hinges on the continuous and uncompromising search for innovative improvement, reliable product quality, the proverbial German thoroughness and the flexibility of adapting to the market requirements by providing tailor-made solutions. Innovative surgery – benefits for you and your patients.

#### Ultrasound surgery: innovative, flexible and cost-effective

Many surgery techniques require that tissue is cut with great care and little bleeding. As ultrasound technology fully meets these demands, it is widely spread in all surgical disciplines.

Sonoca 300, an ultrasonic dissector by Söring GmbH (Medizintechnik, Quickborn, Germany) is the only unit worldwide offering three working frequencies in one (25 kHz, 35 kHz and 55 kHz), which makes it suitable for application in many disciplines. You can connect ultrasonic handpieces as well as ultrasonic scissors and hooks for cutting and coagulating to the unit.

# ULTRASOUND TECHNOLOGY INNOVATIVE AND FUTURE-ORIENTED



#### **Application range:**

- General surgery
- Gynaecology/oncology
- Heart surgery
- ENT
- Minimally invasive surgery
- Neurosurgery
- Urology
- Wound Treatment




- 3 working frequencies in one compact unit
- Controlled tissue dissection (25 / 35 kHz) while preserving nerves, blood vessels and collagen structures
- Cutting and coagulation effects (55 kHz) on the tissue with special ultrasonic instruments
- Unit works simultaneously with integrated aspiration and irrigation
- The "SONOCA®" is processor-controlled and features and automatic instrument detection with automatic preselection of power parameters

#### MULTIFUNCTIONAL AND INTERDISCIPLINARY APPLICABLE

Sonoca 300 can be used in conjunction with the HF unit MBC 601 UAM.

Combination instruments allows you to cut tissue and stop bleeding at the same time.



**WIDESPREAD APPLICATION** 

on Power switch

o3 Connecting socket foot switch


o5 Operating panel irrigation

**o7** Connecting socket handpiece

**o2** Operating panel aspiration

o4 Operating panel ultrasound

o6 Status display panel settings




Sonoca 300 is an ideal partner in many situations, for selective dissection, cutting and

coagulation with ultrasonic scissors and ultrasonic hooks but also for Wound Treatment.

Handpieces tailored to the respective indication complement the system.

### **ACCESSORIES**



For additional accessories please refer to our accessories order list.

# TECHNICAL DATA SONOCA-300





TECHNICAL DATA		
	UNIT	UNIT
MAINS VOLTAGE	230 V / 115 V / 105 V; 50 Hz / 60 Hz	
MAINS FUSE	2 AT (230 V); 4 AT (115 V); 5 AT (100 V)	V
POWER CONSUMPTION	250	VA
CLASSIFICATION ( AS PER MDD)	2b	
protection class (as per en 60601-1)	I	
FREQUENCY RANGE	20 - 80	kHz
OUTPUT WITH HANDPIECE DETECTION	1	
VACUUM ASPIRATION	0 - 0.9	bar
IRRIGATION CAPACITY	0 - 150	ml/min
INFILTRATION CAPACITY	0 - 250	ml/min
UNIT DIMENSIONS	w x h x d: 430 x 150 x 640	mm
UNIT WEIGHT	27.5	kg
TROLLEY DIMENSIONS	w x н x d: 610 x 884 x 620	mm
TROLLEY WEIGHT	28	kg

## www.soering.com

Söring GmbH

Medizintechnik

Justus-von-Liebig-Ring 2 · D-25451 Quickborn

TEL: +49 (o) 4106-61 00-0 · FAX: +49 (o) 4106-61 00-10

EMAIL: info@soering.com



#### **TECHNOLOGY**

ultrasonic dissection

cold plasma coagulation

electrosurgery

electrosurgery with inert gas



INNOVATIVE SURGERY



AREAS OF APPLICATION

neurosurgery

general surgery

minimally invasive surgery

plastic surgery

wound treatment