



NON-STICK **flush**

*The new bipolar forceps by KLS Martin
with integrated irrigation –
for the toughest requirements*

NON-STICK **flush**

The new bipolar forceps by KLS Martin
with integrated irrigation –
for the toughest requirements

When tissue coagulates, it may become stuck to the tip of the forceps depending on the quality of the tip.

This undesirable effect should be considered critical. We have therefore developed bipolar forceps with integrated irrigation. The coagulation site is irrigated via the irrigation channel integrated into the forceps handle and to which one or two Luer Lock tubes can be connected.

A continuous supply of irrigation fluid helps to greatly reduce the tissue's adhesion.

Saved time is guaranteed!

The benefits at a glance:

- **Bipolar coagulation through heated saline solution**
- **Reduced tissue adhesion**
- **Precise application of fluid**
- **Irrigation fluid guarantees a clean and clear operating field**
- **Can be used with all current HF generators**



Forceps Tips

- The irrigation opening is located right on the gripping surface
- The irrigation fluid supply minimizes the risk of the tissue drying out and thus reduces the tissue adhesion
- Irrigation consistently guarantees a clean and clear operating field
- Reduces time-consuming interruptions




The most important features at a glance

Gripping surface

The ergonomic gripping surface ensures secure handling and effortless work.

Guide

The guide ensures that the forceps are closed parallel to each other and under pretension. "Splaying" of the forceps tips is moreover prevented. Your work is guaranteed to be effortless and enjoyable.




Irrigation channel and irrigation connection

The irrigation channel was integrated into the forceps branch. This ensures that the view of the operating field is not obstructed. The isotonic irrigation fluid is supplied via the Luer Lock connection. Bipolar irrigation forceps with irrigation on both sides dispose of two Luer Lock connections.

Standard bipolar connection

In conjunction with the right connecting cable, the forceps can be operated with all current HF generators.



NON-STICK flush

Model Overview



$\frac{2}{1}$





Accessories

80-981-07-04
Cleaning brush set, 5 qty.


Cleaning brushes are included
in delivery with the forceps.

Bipolar irrigation forceps, bayonet,
with irrigation *on one side*:


	Tip width	Length	Item No.
	straight tip 0.5 x 7 mm	20 cm / 8"	80-981-01-04
	0.5 x 7 mm	23 cm / 9"	80-981-03-04
	1.0 x 7 mm	20 cm / 8"	80-981-02-04
	1.0 x 7 mm	23 cm / 9"	80-981-04-04

$\frac{1}{1}$


Example illustration




*Bipolar irrigation forceps, straight,
with irrigation **on one side**:*

	Tip width	Length	Item No.
	straight tip 1.5 x 7 mm	20 cm / 8"	80-981-05-04

1/1



*Bipolar irrigation forceps, straight,
with irrigation **on both sides**:*

	Tip width	Length	Item No.
	straight tip 2.0 x 7 mm	23 cm / 9"	80-981-06-04

1/1

maxium® and NON-STICK **flush**


EHT – the new method in Electrosurgery



The "Neptun" current type of the maxium® HF generator was developed specifically for fluid-assisted HF coagulation (**EHT = electrohydrothermosation**). This method has been well proven, especially in abdominal and neurosurgery applications. The type of current is adapted to the requirements of the NON-STICK **flush** bipolar irrigation forceps.



Neptun



Neptun
Auto-Start

The NON-STICK **flush** forceps can naturally also be used with currently available HF generators.

NON-STICK **flush**

Accessories

Connecting cables for bipolar forceps with angled plugs



80-291-40-04

4 m/13 ft.

Connecting cable for bipolar instruments
for KLS Martin and Berchtold HF units



80-286-40-04

4 m/13 ft.

Connecting cable for bipolar instruments
for maxium® "e"-version / Erbe HF units ICC
and ACC/VIO



80-293-40-04

4 m/13 ft.

Connecting cable for bipolar instruments
for maxium® "i"-version, ME MB2 "i"-version /
Valleylab HF units



KLS Martin Group

KLS Martin France SARL
68200 Mulhouse · France
Tel. +33 3 89 51 3150
france@klsmartin.com

KLS Martin UK Ltd.
Reading RG1 3EU · United Kingdom
Tel. +44 1189 000 570
uk@klsmartin.com

KLS Martin do Brasil Ltda.
CEP 04.531-011 São Paulo · Brazil
Tel.: +55 11 3554 2299
brazil@klsmartin.com

Gebrüder Martin GmbH & Co. KG
Representative Office
121471 Moscow · Russia
Tel. +7 499 792-76-19
russia@klsmartin.com

Martin Italia S.r.l.
20864 Agrate Brianza (MB) · Italy
Tel. +39 039 605 6731
italia@klsmartin.com

Nippon Martin K.K.
Osaka 541-0046 · Japan
Tel. +81 6 62 28 9075
nippon@klsmartin.com

KLS Martin Australia Pty Limited
Artarmon NSW 2064 · Australia
Tel.: +61 2 9439 5316
australia@klsmartin.com

Gebrüder Martin GmbH & Co. KG
Representative Office
201203 Shanghai · China
Tel. +86 21 5820 6251
china@klsmartin.com

Martin Nederland/Marned B.V.
1271 AG Huizen · The Netherlands
Tel. +31 35 523 4538
nederland@klsmartin.com

KLS Martin L.P.
Jacksonville, FL 32246 · USA
Tel. +1 904 641 77 46
usa@klsmartin.com

KLS Martin SE Asia Sdn. Bhd.
14100 Simpang Ampat, Penang · Malaysia
Tel.: +604 505 7838
malaysia@klsmartin.com

Gebrüder Martin GmbH & Co. KG
Representative Office
Dubai · United Arab Emirates
Tel. +971 4 454 16 55
middleeast@klsmartin.com

Gebrüder Martin GmbH & Co. KG
A company of the KLS Martin Group
KLS Martin Platz 1 · 78532 Tuttlingen · Germany
Postfach 60 · 78501 Tuttlingen · Germany
Tel. +49 7461 706-0 · Fax +49 7461 706-193
info@klsmartin.com · www.klsmartin.com

